

# Vitesse®

- ▲ Hand Drawn Curtain Tracks
- ▲ Cord Drawn Curtain Tracks
- ▲ Electric Curtain Tracks



# Vitesse

The Vitesse range of curtain tracks is one of the most comprehensive available. There is a Vitesse track for almost every application, from the lightest of net tracks to heavy-duty corded or motorised tracks for large or heavy curtains.

The hand-drawn tracks shown here are each designed to be strong, reliable, and to give years of trouble-free use. The range comprises 10 different track profiles, all manufactured from aluminium with high-grade plastic components, and complete with a choice of sturdy and unobtrusive brackets.

Hand drawn curtain tracks, as well as being economical and simple to operate, are often the preferred option in public areas where many different persons may draw the curtains. When specifying hand drawn tracks, window size, curtain weight, usage intensity, fixing requirements and aesthetics should all be assessed, allowing the most appropriate track to be selected. The details on these pages will enable the specifier to make informed decisions with reference to these requirements, thus ensuring that Vitesse hand drawn curtain tracks will give optimum performance and lasting satisfaction.

Vitesse curtain tracks are available in fully made to measure form - completely ready for installing, or in a comprehensive individual component form - for ease of use within any in-house manufacturing facility. The full range is distributed globally through a network of dealers and customers providing an unrivalled level of support, and with experienced installation and service teams to exceed your expectations.



All products in this range carry the Yewdale Bridge 5 year warranty



## Maintenance

All Vitesse hand drawn curtain tracks are designed to require little or no maintenance. The tracks and components are made from durable materials that will not corrode in normal use. In the event of damage most components are replaceable. Tracks with gliders may be lubricated occasionally with a sparing application of silicone to retain sliding efficiency. Tracks with roller runners should not be lubricated. Spare parts may be obtained from the dealers.

# Hand Drawn Curtain Tracks



## System 5000W



- Top-fix track, normally mounted on wood
- Aluminium track with neat and unobtrusive design
- Widely used in motor vehicles, caravans, boats and aircraft
- For use with lightweight curtains and nets
- Pre-drilled at 125mm centres
- Standard colour: white; other colours to order
- Gliders at 16 per metre

**Specification:** Vitesse System 5000 hand drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish, top-fixed track with end-stops, and gliders at 16 per metre.

Please refer to NBS Plus





## System 5200W



- Top-fix track, for direct fixing or by top-fix brackets
- Attractive aluminium track with smooth rounded profile
- For light to medium weight curtains and nets
- Pre-drilled at 200mm centres
- Standard colour: white; other colours to order
- Can be bent - minimum radius 120mm
- Gliders at 16 per metre

**Specification:** Vitesse System 5200 hand drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish, top-fixed track with end-stops, and gliders at 16 per metre.

Please refer to NBS Plus



# Vitesse




## System 5400W



- Top or face-fix aluminium track
- For lightweight curtains and nets
- Standard colour: white; other colours to order
- Can be bent - minimum radius 100mm
- Gliders at 16 per metre

**Specification:** Vitesse System 5400 hand drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish with face/top-fix brackets, end-stops, and gliders at 16 per metre.

Please refer to NBS Plus






## System 5500W



- Aluminium track for top or face-fixing
- Neat, contemporary appearance
- For lightweight curtains and nets
- Available in white
- Can be bent - minimum radius 120mm
- Gliders at 16 per metre

**Specification:** Vitesse System 5500 hand drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish, with face/top-fix brackets, end-stops, and gliders at 16 per metre.

Please refer to NBS Plus



# Hand Drawn Curtain Tracks

## System 5600W




- Slim and rigid aluminium track for face or top-fixing
- Attractive design suitable for domestic or contract use
- May be used with deep curtain headings
- For medium weight curtains
- Standard colour: white; other colours to order
- Can be bent - minimum radius 100mm
- Gliders at 16 per metre

### System 5600VW

- Same attractive design but with Velcro strip on front face
- Ideal for the simple attachment of pelmets or valances

**Specification:** Vitesse System 5600/5600V hand drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish with face/top-fix brackets, end stops, and gliders at 16 per metre.

Please refer to NBS Plus




## System 5800W



- Strong, round profile aluminium track suitable for contract use
- Attractive design for medium weight curtains
- For face or top-fixing, or suspended on hanger rods
- Standard colour: white; other colours to order
- Can be bent - minimum radius 300mm
- Gliders at 16 per metre

**Specification:** Vitesse System 5800 hand drawn round aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish with face/top-fix brackets, end stops, and gliders at 16 per metre.

Please refer to NBS Plus



# Vitesse

## System 6200W



- Very sturdy aluminium track suitable for contract use
- For medium to heavy curtains
- May be face or top-fixed, using strong steel brackets
- Standard colour: white
- Can be bent - minimum radius 120mm
- Low friction roller runners at 16 per metre



**Specification:** Vitesse System 6200 hand drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish with face/top-fix brackets, end stops, and roller runners at 16 per metre.

Please refer to NBS Plus



**Kestrel**

This track is available on the Kestrel Magnetic Anti-Ligature System as an anti-ligature track for the prevention of self-harm in mental health areas. For further information see the Kestrel brochure or contact Yewdale Bridge.






## System 6400W



- Heavy-duty aluminium track for domestic or contract use
- Ideal for large or heavy curtains
- With face or top-fix brackets
- Standard colour white; other colours to order
- Can be bent – minimum radius 120mm
- Version 2 has heavy-duty roller runners at 12 per metre

**Specification:** Vitesse system 6400 hand drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish with face/top-fix brackets, heavy-duty roller runners at 12 per metre.

Please refer to NBS Plus



# Hand Drawn Curtain Tracks


## System 6700W



- Heavy-duty system suitable for large areas
- Ideal for stage curtains in auditoria and lecture theatres
- Top-fix as standard, with option of face-fix brackets
- Standard colour white
- Can be bent - minimum radius 300mm
- Heavy-duty roller runners at 12 per metre

**Specification:** Vitesse System 6700 heavy-duty hand drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish with face/top-fix brackets and heavy-duty roller runners at 12 per metre.

Please refer to NBS Plus




## System 6800W



- Stylish and modern round aluminium
- Heavy-duty double channel system for very large or heavy curtains
- Suitable for stage curtains in auditoria or lecture theatres
- Very strong aluminium track
- Direct top-fix
- Standard colour white
- Heavy-duty roller runners at 12 per metre

**Specification:** Vitesse System 6800 Heavy-duty double channel hand drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish with heavy-duty roller runners at 12 per metre.

Please refer to NBS Plus



# Vitesse

## Sections shown full size

5000W



5200W



5400W




5500W



5600W




5800W




6200W




6400W



6700W



6800W



# Cord Drawn Curtain Tracks


The cord drawn tracks shown here are designed to be strong and reliable, and will give years of trouble-free use. They are all manufactured from aluminium, with high-grade plastic components, and are available with a choice of sturdy and unobtrusive brackets.

Vitesse cord drawn curtain tracks are widely specified where a touch of luxury is required, or where ease of use is a primary consideration. Their smooth, quiet operation and elegant appearance make them at home in the most demanding environments. When selecting a track, window size, curtain weight, usage intensity, fixing requirements and aesthetics should all be assessed, allowing the most appropriate track to be specified. The details on these pages will enable an informed choice to be made, thus ensuring that Vitesse cord drawn curtain tracks will give optimum performance and lasting satisfaction.

Vitesse curtain tracks are available in fully made to measure form - completely ready for installing, or in a comprehensive individual component form - for ease of use within any in-house manufacturing facility. The full range is distributed globally through a network of dealers and customers providing an unrivalled level of support, and with experienced installation and service teams to exceed your expectations.




All products in this range carry the Yewdale Bridge 5 year warranty



## Maintenance




All Vitesse cord drawn curtain tracks are designed to require little or no maintenance. The tracks and components are made from durable materials that will not corrode in normal use. In the event of damage most components are replaceable. Tracks with gliders may be lubricated occasionally with a sparing application of silicone to retain sliding efficiency. Tracks with roller runners should not be lubricated. Spare parts may be obtained from the manufacturers or their dealers.

## System 7000W



- Top-fix track, for direct fixing or by click brackets
- Very slim aluminium profile, with smallest possible dimensions for a corded track
- May be bent, for applications such as arched ceilings
- Mainly domestic use, with light to medium weight curtains
- Standard colour white; other colours to order
- Self-lubricating polyethylene gliders at 16 per metre

**Specification:** Vitesse System 7000 cord drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish, top-fixed track with end pulleys, operating cord, and gliders at 16 per metre.



Please refer to NBS Plus




## System 7400W



- Heavy-duty aluminium track for domestic or contract use
- Ideal for large or heavy curtains
- With face or top-fix brackets
- Standard colour white; other colours to order
- Can be bent - minimum radius 120mm
- Heavy-duty roller runners at 12 per metre

**Specification:** Vitesse System 7400 cord drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish with face/top-fix brackets, end pulleys, operating cord, heavy-duty roller runners at 12 per metre.

Please refer to NBS Plus



# Cord Drawn Curtain Tracks


## System 7600W



- Stylish and modern round aluminium corded track
- For domestic or contract environments
- With face or top-fix brackets
- Standard colour white; other colours to order
- Can be bent - minimum radius 300mm
- Self-lubricating polyethylene gliders at 16 per metre

**Specification:** Vitesse System 7600 cord drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. Round white powder-coated finish with face/ top-fix brackets, end pulleys, operating cord, and gliders at 16 per metre.

Please refer to NBS Plus




## System 7700W



- Heavy-duty system suitable for large areas
- Ideal for stage curtains in auditoria and lecture theatres
- Top-fix as standard, with option of face-fix brackets
- Standard colour white
- Can be bent - minimum radius 300mm
- Heavy-duty roller runners at 12 per metre

**Specification:** Vitesse System 7700 heavy-duty cord drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish with face/top-fix brackets, end pulleys, operating cord, and heavy-duty roller runners at 12 per metre.

Please refer to NBS Plus





## System 7800W



- Stylish and modern round aluminium
- Heavy-duty double channel system for very large or heavy curtains
- Suitable for stage curtains in auditoria or lecture theatres
- Very strong aluminium track with 6mm operating cord
- Direct top-fix
- Standard colour white
- Heavy-duty roller runners at 12 per metre

**Specification:** Vitesse System 7800 Heavy-duty double channel cord drawn aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish with end pulleys, operating cord, and heavy-duty roller runners at 12 per metre.



Please refer to NBS Plus

Sections shown full size


7000W




7400W




7600W



7700W



7800W



# Vitesse

Vitesse electric tracks represent the ultimate in curtain control. Not only do they lend support to an ambience of success and luxury, they are also eminently practical. At the touch of a button they will glide into action, smoothly, quietly, and with an effortless power that ensures lasting satisfaction. A large range of control systems is available, from a simple wall switch to radio remote handsets, or even complete integration into intelligent building control.

The electric tracks shown here are designed for strength and reliability, and will give years of trouble-free use. They are all manufactured from aluminium, with high-grade plastic components and sturdy, unobtrusive brackets. When selecting a track, window size, curtain weight, usage intensity, fixing requirements and aesthetics should all be assessed, allowing the most appropriate track to be specified.

Vitesse curtain tracks are available in fully made to measure form - completely ready for installing, or in a comprehensive individual component form - for ease of use within any in-house manufacturing facility. The full range is distributed globally through a network of dealers and customers providing an unrivalled level of support, and with experienced installation and service teams to exceed your expectations.



All products in this range carry the Yewdale Bridge 5 year warranty



## Maintenance

All Vitesse electric curtain tracks are designed to require little or no maintenance. The tracks and components are made from durable materials that will not corrode in normal use. In the event of damage most components are replaceable. Tracks with roller runners should not be lubricated. Spare parts may be obtained from the manufacturers or their dealers.


## System 8500W



- Robust curtain track with range of powerful motors.
- Low-cost motorisation with high weight capacity and simple controls.
- 240v AC motors with four power ratings.
- Heavy duty overlap, suitable for both light and heavy weight curtains
- Roller runners for long-term lubricant-free operation.
- Radio remote and group control options available.
- Low noise belt
- Easy to set limit stops
- Compatible with most intelligent building control systems
- Can be bent to suit almost all situations



**Specification:** Vitesse System 8500/45 electric aluminium curtain track as manufactured by Yewdale Bridge, +44 (0)1268 570900. White powder-coated finish with face/top fix brackets, roller runners, and 240v AC motor.

Curtain Weight Guide:  
45 Watt Motors



## Section shown full size

8500W



Capacity	R (mm)	4m	6m	8m	10m	12m
	-	65kg	60kg	50kg	40kg	25kg
	R500	55kg	45kg	40kg	30kg	-
	R2000	55kg	45kg	40kg	30kg	-
	R500x2	50kg	40kg	30kg	20kg	-

**movatrack**<sup>®</sup>  
TRACK SYSTEMS

**movatrack**<sup>®</sup>  
OVERHEAD INTRAVENOUS TRACK SYSTEM

**harrier**<sup>®</sup>  
CUBICLE AND SHOWER CURTAINS

**DEFIANT**<sup>®</sup>  
BLINDS

**Vitesse**<sup>®</sup>  
CURTAIN TRACKS

**Kestrel**<sup>®</sup>  
MAGNETIC ANTI-LIGATURE SYSTEM

For further information on all Yewdale Bridge products please contact the sales department.

**Yewdale Bridge**  
Enterprise Way, Wickford  
Essex SS11 8DH

Tel: +44 (0)1268 570900  
Fax: +44 (0)1268 732509  
Email: [enquiries@yewdalebridge.com](mailto:enquiries@yewdalebridge.com)  
[www.yewdalebridge.com](http://www.yewdalebridge.com)